

# Invacare<sup>®</sup> **Action<sup>® 3</sup>**<sub>NG</sub>

In a class of it's own



# Invacare **Action®** 3<sub>NG</sub>

The market-leading **Action**<sup>3</sup><sub>NG</sub> is easy to set-up and offers an extensive range of cross-compatible options and accessories to help meet a vast range of different requirements.

Perfectly suited for those who require a more basic wheelchair to those who have progressive and more complex needs. It's smooth ability to transform between configurations makes re-use and refurbishment simple.

- Lightest wheelchair in its field
- Increased stability for a smoother ride
- Improved design for greater support





#### **Light and transportable**

Already the lightest wheelchair in its field, the **Action<sup>3</sup>**<sub>Ng</sub> can be made lighter again by using the optional lightweight castor housing and lightweight wheels, potentially reducing the overall weight by 1.2 kg. Complementing the low transfer weight, the chair also has a foldable backrest, allowing it to be easily folded and dismantled, making it transportable in even the smallest of cars.

#### **Comfort and functionality**

The special cross bar folding mechanism, improves stability and makes folding and unfolding even easier. Together with a new release lever – to increase the ease of flipping up the armrests - the **Action<sup>3</sup>**<sub>NG</sub> is a great choice for all-round maximum comfort.

#### Adaptable and modular

Cross-compatible features across the **Action** Family of chairs and accessories mean that each chair is adaptable and modular. Therefore, the **Action<sup>3</sup>**<sub>NG</sub> is well equipped to accommodate changes in individual needs over time, simple to refurbish and has access to a wide range of customisation options.

# **Tailored to fit**

A new, increased colour range and an improved backrest cover design bring even more opportunities for individuals to tailor the chair to fit. The new backrest cover overlaps the back canes for added comfort and the backrest now includes a removable lumbar support to give greater support where required.

# Features and options



# Lightness

With a basic weight from 14.2 kg and a transportation weight of 7.5 kg (without legrests, armrests or rear wheels) the **Action**<sup>3</sup><sub>NG</sub> addresses key needs for handling, storage and transportation. In addition, with the new lightweight options, the basic weight can be further reduced to a low 13 kg.



**Brake lever** 

The **Action<sup>3</sup>**<sub>NG</sub> brake lever is simply folded to allow for easier side transfers.



# Length compensating elevating legrest

The elevating legrest offers optimal length compensation with the elevation stepped in 3° / 5° increments (approx.).



# **Skirt guard**

The open zone skirt guard helps easier transfers in and out of the chair.



**Flip-back armrest** 

A redesigned release lever and receiver ensures a smooth 'flip-back' process.



#### Angle adjustable backrest

The patented, stepless, angle adjustable backrest design has been incorporated from the *Action*<sup>\*5</sup> which allows for adjustments to be made whilst the individual is sat in the chair.



#### **Amputee support**

Height, angle and depth-adjustable, the amputee support is also swingaway.



# 20 rear wheel positions

Driving performance is enhanced with a choice of 20 rear wheel positions as standard.



# **Reclining backrest\***

A gas spring backrest allows carers to easily adjust the individual's back position in one continuous movement and with raised assistance.

# Features and options



# **Bi-material cover\***

The newly designed backrest cover has been shaped to cover the back canes, providing additional comfort to the individual. The lumbar supporting strap is now more accessible and can be placed where required.



# **Transit chair**

The Transit version offers seat heights of 460, 485 and 510 mm with 12" plastic rear wheels.



# **Tie-down hook**

A brightly coloured hook allows simple and secure fixation in a vehicle.



#### **Front castor**

Front castors available in 5", 6" and 8" pneumatic or solid tyre, with various options of tyre width also available.



Headrests

A neckrest, headrest or cheek support are all available, depending on individual's needs. These elements can all be adjusted on the backbrace, changing the height or depth to ensure the most optimum position.

# Features and options



# **Dual handrim propulsion\***

Specifically for hemiplegic use and ease of propulsion, this handrim with QR mechanism makes the chair easily foldable.

# **Backrest types**

On top of the fixed backrest (0° or 7°), Action<sup>3</sup><sub>NG</sub> offers 4 different types of backrests to suit individual needs: 1) folding ② angle adjustable (-15°/+15°)



④ gas spring reclining (0°/30°)

# **Cushion Options**



# **Cushion options**

Choose from a range of Invacare cushions offering basic comfort, through to HR Foam with Gel Packs for higher risk. Go on-line to find out more at www.invacare.co.uk.



#### **Armrest assortment options**

- ① Swing away detachable, ② swing away detachable height-adjustable,
- ③ removable and height-adjustable RIO, ④ removable height-adjustable and ⑤ hemi.



# **Anti-tip device**

Provides extra safety and comes either fixed (top) or removable (bottom) versions.



**Transparent tray** 

Useful for mealtimes and leisure activities such as reading.



Matrx<sup>®</sup> backrest

Matrx Elite and Elite Deep can be added as an option to provide greater comfort.



**Buckle belt** 

This optional **BodyPoint**® belt brings increased safety whilst seated as well as increased comfort and postural support.

# For more comprehensive information about this product, including the product's user manual, please visit www.invacare.co.uk

	Seat width	Seat depth	Seat angle	Seat height	Backrest angle	Backrest height	Front frame angle
					<u>ب</u>		
		$\bigcirc$	$\bigcirc$		$\bigcirc$	Ł Jł	
Self Propulsion	380 / 405 / 430 / 455 / 480 /	400 / 450 / 500 mm	0° / 3° / 6°	360 / 385 / 410 / 435 / 460 / 485	0° / 7° / 0° - 30° / - 15° - +15°	325 - 510 mm	80° / 0 - 80° / 90°
Transit	505 mm 380 / 405 / 430 / 455 / 480 / 505 mm	400 / 450 mm	0°/3°/6°	/ 510 mm 460 / 485 / 510 mm	0° / 7° / 0° - 30° / - 15° - +15°	380 - 460 mm	80° / 0 - 80° / 90°
	Length of		Driving unit	Total width,	Total length inc.	Total length	
	footrests	Armrest height	width	folded	footrests	without footrests	Total height
	<u>Q</u>	$\bigcirc$	<b>→</b>			<u>ک</u> لہ	QÞ-
Self Propulsion	200 - 400 / 330 - 460 / 440 - 510 mm	200 - 280 / 240 / 170 - 300 / 210 - 350 mm	Seat width + 190 mm	295 mm	980 - 1105 mm	835 - 960 mm	820 - 1050 mm
Transit	200 - 400 / 330 - 460 / 440 - 510 mm	200 - 280 / 240 / 170 - 300 / 210 - 350 mm	Seat width + 160 mm	260 mm	950 - 1050 mm	710 - 910 mm	920 - 1050 mm
	Max. safe slope	Radius	Max. user weight	Total weight from	Mass of the heavies part, from	t	
		- 🔁			Ĩ		
Self Propulsion Transit	9° 9°	870 mm 870 mm	125 kg 125 kg	13.0 kg 13.5 kg	7.1 kg 10.3 kg		
	COMPATIBLE	SH TEC.					
	alber on	AND FO	E				
Frame colours				Upholste	ery		
Hypnotic Purple	Matt Black	Blue Pop	Matt Red	Black Nylon			
				월 1998년 1983 1997년 1997년 1997년 1997년 1997년 199			
Pearl White	Slate Grey	Electric Green	Anthracite Black				
						Yc	u Tube
Please notice colours may vary slightly from those displayed above.							
Invacare Limited Invacare Ireland Ltd							
Bridgend CF35 5/ Tel: +44 1 656 776 Fax: +44 1656 776 E-mail: uk@invac	6 220 are.com il: ordersuk@invaca	n Seatown F County Du Tel. +353 Fax +353	land@invacare.com	Trus	sted Solutio sionate Peop	ole	Yacare Yes, you can.
© 2017 Invacare International Sarl. All rights reserved. All information quoted is believed to be correct at time of print.							

© 2017 Invacare International Sarl. All rights reserved. All information quoted is believed to be correct at time of print. Invacare reserves the right to alter product specifications without prior consultation. A3NG - UK - 10/2017 - 1528014

CE